



دانشگاه علوم پزشکی و خدمات بهداشتی درمانی تهران

دانشکده پرستاری و مامائی

بررسی ارتباط بین درک از مراقبت بیهوده و رفتارهای مراقبتی پرستاران بخش مراقبت‌های ویژه
بیمارستانهای دانشگاه علوم پزشکی تهران سال ۱۳۹۲

پایان نامه

جهت اخذ درجه کارشناسی ارشد پرستاری مراقبت‌های ویژه بزرگسالان

استاد راهنما: دکتر احمدعلی اسدی نوقابی

استاد مشاور: دکتر سودابه جولائی

استاد مشاور آمار: آقای عباس مهران

دانشجو: سجاد احمدی راد

۱۳۹۲

چکیده

عنوان: بررسی ارتباط بین درک از مراقبت بیهوده و رفتارهای مراقبتی پرستاران بخش مراقبت‌های ویژه

مقدمه: مراقبت بیهوده تحت عنوان یک درمان تهاجمی یا یک مداخله، مانند درمان حمایتی، در بیمارانی که در مرحله‌ی انتهای حیات هستند و احتمال بقا و بهبودشان اندک است، شرح داده شده است. اثرات نامطلوب آن بر سیستم درمان بویژه پرستاران شاغل در بخش مراقبت‌های ویژه، مانند فرسودگی شغلی و تنش اخلاقی در برخی مطالعات ثابت شده است. بیهودگی علاوه بر تحمیل رنج و درد به بیمار و افزایش هزینه‌ها می‌تواند از جنبه‌های متفاوتی بر پرستاران و رفتارهای مراقبتی آنان تاثیرگذار باشد. این پژوهش با هدف بررسی ارتباط بین درک از مراقبت بیهوده و رفتارهای مراقبتی پرستاران بخش‌های مراقبت‌های ویژه بیمارستان‌های دانشگاه علوم پزشکی تهران انجام شد.

روش پژوهش: این مطالعه از نوع توصیفی-همبستگی بود. ۳۸۶ نفر از پرستاران شاغل در بخش‌های مراقبت‌های ویژه در بیمارستان‌های وابسته به دانشگاه علوم پزشکی تهران به روش نمونه‌گیری آسان انتخاب شدند. گردآوری داده از طریق دو ابزار پژوهشگر ساخته، درک از مراقبت بیهوده و رفتارهای مراقبتی انجام شد. که پایایی و روایی آنها با شیوه‌های متداول سنجیده شد.

نتایج: یافته‌ها نشان داد بیش از نیمی از پرستاران (۵۹/۳٪) از نظر نمره درک در گروه متوسط قرار گرفتند. از نظر آماری ارتباط معنی‌داری بین درک از مراقبت بیهوده و رفتارهای مراقبتی پرستاران وجود نداشت ($P > 0.05$). و اکثریت پرستاران (۹۹/۵٪) رفتار مراقبتی مطلوبی را ارائه می‌دهند. و همچنین پرستاران به رفتارهای مراقبتی جسمانی-تکنیکی بیشتر از روانی-اجتماعی توجه داشتند.

نتیجه‌گیری: لازم است توجه بیشتری به مقوله‌ی بیهودگی و عوامل مرتبط به آن و اثرات نامطلوب آن بر بیمار و پرستاران و هزینه‌های ناشی از آن شود. و قوانینی در ارتباط با پذیرش بیمار در بخش مراقبت‌های ویژه و انجام مراقبت و درمان بیهوده وضع شود. همچنین یافته‌ها بر ضرورت اتخاذ تدابیری برای توجه بیشتر پرستاران به جنبه‌های روانی-اجتماعی مراقبت علاوه بر جنبه‌های جسمانی-تکنیکی تاکید دارد.

کلید واژه‌ها: مراقبت بیهوده، بخش مراقبت‌های ویژه، رفتارهای مراقبتی، پرستاران



Tehran University Of Medical Science
School of nursing and midwifery

**The relationship between perceptions of futile care and intensive care
nurses caring behaviors**

Supervisor: Dr. A.A Asadi Noughabi

Co_supervisor : Dr. S. Joolae

Sajaad Ahmadi Rad

۲۰۱۴

Abstract

Title: The relationship between perceptions of futile care and intensive care nurses caring behaviors

Introduction: The futile care as an aggressive treatment or intervention, such as supportive therapy in patients with end stage of life and survival, and heal is low, is described. Adverse effects on the health system, especially the nurses in the intensive care unit, such as burnout and moral distress in some studies it has been proven. futility in addition, suffering and pain to the patient and increases the cost can be effective on nurses and their caring behaviors. This study examined the relationship between perceptions of futile care and caring behaviors of critical care nurses in hospitals of Tehran University of Medical Sciences.

Methods: In this descriptive - correlational study nurses who working in intensive care units in hospitals affiliated to Tehran University of Medical Sciences were selected through census sampling method. Data collection made by two tools, the perception of futile care and caring behaviors were performed. The reliability and validity were assessed using conventional methods.

Results: Results showed that more than half of the nurses (59.3%) had an average score. No statistically significant relationship between perceptions of futile care and nurses caring behaviors was observed ($P > 0.05$). The majority of nurses (99.5%) give the good care behavior. Nurses are also paying more attention to technical-psychological caring behavior than Psycho – social caring behavior.

Conclusions: It is necessary to pay more attention to the issue of futility and its associated factors and its adverse effects on patients and nurses and its costs. And to enact laws in relation to admission to the ICU and futile treatment. also need to pay more attention to the psychosocial aspects of health care, in addition to the technical aspects are emphasized.

Keywords: futile care, intensive care unit, caring behavior, nurses