



دانشگاه علوم پزشکی تهران
دانشکده پرستاری و مامایی

عنوان:

تبیین تجربه زیسته زنان پس از اقدام به خودکشی: یک مطالعه پدیدارشناسی

پایان نامه برای دریافت درجه دکتری تخصصی PhD

در

رشته بهداشت باروری

نکارنده:

مریم عزیزپور

اساتید راهنما

دکتر زیبا تقی زاده

دکتر نورالدین محمدی

استاد مشاور

دکتر ابوعلی ودادهیر

۱۳۹۷

چکیده:

مقدمه: به دلیل افزایش نگران کننده میزان خودکشی و اقدام به خودکشی، سازمان جهانی بهداشت آن را در اولویت های بررسی و اقدام خود قرار داده است. در این راستا، تحقیقات فراوانی به بررسی ابعاد مختلف خودکشی و اقدام به خودکشی پرداخته اند اما مطالعات در خصوص خود اقدام کنندگان بسیار اندک و انگشت شمار هستند. از آنجا که اقدام به خودکشی یکی از مهم ترین عوامل پیشگوئی کننده خودکشی به شمار می آید لذا تمرکز بر تجارب این افراد می تواند در کاهش خودکشی نقش مهمی داشته باشد. از طرف دیگر به دلیل بالا بودن میزان اقدام به خودکشی در زنان و هم چنین بواسطه موقعیت متفاوت اجتماعی آنان در جامعه سنتی، این تحقیق با هدف تبیین تجربه زیسته زنان پس از اقدام به خودکشی طراحی شده است.

روش کار: جهت انجام این پژوهش کیفی از روش پدیدارشناسی تفسیری استفاده شده است. محل انجام مطالعه، استان ایلام با بیشترین آمار اقدام به خودکشی و خودکشی انتخاب و گردآوری داده ها با استفاده از روش نمونه گیری هدفمند در دو بیمارستان مرکزی استان انجام شد. ابزار گردآوری داده ها مصاحبه های عمیق نیمه ساختار یافته بوده است. در این تحقیق اشباع داده ها با سیزده مصاحبه از هفت زن اقدام کننده به خودکشی صورت گرفت و از روش تجزیه و تحلیل ون منن برای مراحل تحقیق و آنالیز استفاده گردید.

یافته ها: آنچه از تجربه زنان پس از اقدام به خودکشی استخراج شد این است که اقدام به خودکشی برای زنان به مانند یک انقلاب بوده است که تحولات و هزینه هایی را به همراه داشته است. انقلاب خودکشی به عنوان مضمون اصلی از پنج مضمون باران سرزنش، تلاطم روحی، در مرکز توجه بودن، سنت شکنی و چهره عریان مرگ استخراج شد.

نتیجه گیری: نتایج این مطالعه نشان داد که تجربه پس از اقدام به خودکشی به مانند یک انقلاب می تواند در اقدام کنندگان به خودکشی هیجانات مثبت و منفی مختلفی را برانگیزد. همچنین ممکن است برخی از این هیجانات زمینه آسیب بیشتر فردی و یا خانوادگی را فراهم نماید بنابراین به نظر می رسد آموزشها و مداخلات پس از اقدام به خودکشی در سطوح مختلف اقدام کننده، خانواده و جامعه در جلوگیری از این آسیب ها کمک کننده باشند.

کلید واژه ها: اقدام به خودکشی، زنان، تجربه زیسته، پدیدارشناسی تفسیری



Teheran University of Medical Sciences
School of Nursing and Midwifery

Title:

Lived experiences of women after suicide attempt

A dissertation submitted as partial fulfillment of the requirements for Doctor of "
Philosophy (PhD) Degree

In

Sexual and Reproductive Health

By

Maryam azizpour

Supervisors

Dr Ziba Taghizadeh

Dr Nooredin Mohammadi

Consultant

Dr Aboali Vedadhir

2018

Abstract:

Purpose: Suicide and suicide attempt are one of the main concerns of the World Health Organization. In this regard, many studies have examined the various dimensions of suicide and attempted suicide, but studies on suicide attempter are rare. The importance of focusing on suicidal attempts is one of the most important predictors of suicide, so focusing on the experiences of these individuals can play an important role in reducing suicide. On the other hand, due to the high rates of suicide attempts in women and also due to their different social status in the traditional society, this research has been designed to explain the experience of women after suicide attempts.

Design and Methods: A purposive sampling method using semi-structured in-depth interviews with seven Iranian women was implemented for data collection, and an interpretative phenomenological approach with the van Manen method was employed for data analysis.

Findings: The main theme was "suicide attempt revolution", from which emerged five subthemes: "rains of blame fall", "rain of love", "being at the center of attention", "breaking with tradition" and "naked face of death"

Practical Implications: The suicide revolution can have positive or negative consequences for women. Suicidal attempts create a lot of emotion in the person and the surrounding people. The study recommends that a special caregiver training program would be beneficial to educate the families and society in appropriate behavior after a loved one's suicide attempt.

Key words: **Suicide attempt; Suicide; Lived experience**