



دانشگاه علوم پزشکی تهران
پردیس بین الملل
دانشکده پرستاری و مامایی

پایان نامه برای دریافت درجه دکتری تخصصی بهداشت باروری

عنوان:

تجربه زیسته زنان از سقط مکرر در امارات متحده عربی: یک مطالعه
پدیدار شناسی

نگارنده:

فاطمه محمد ابراهیم

اساتید راهنما:

دکتر زهرا بهبودی مقدم
دکتر شمسه العور

اساتید مشاور:

دکتر ناهید دهقان نیری
دکتر الجیفوت معمر

۱۳۹۸

تجربه زیسته زنان از سقط مکرر در امارات متحده عربی: یک مطالعه پدیدار شناسی

مقدمه: سقط جنین شایع ترین عارضه‌ی دوران بارداری است و تجربه‌ی ای است که تحت تاثیر محیط اجتماعی و فرهنگ جامعه قرار می‌گیرد. مادر شدن تحولی اخلاقی به حساب می‌آید. هدف از انجام این مطالعه تبیین تجربه زیسته زنان از سقط مکرر در امارات متحده عربی بود.

روش کار: این مطالعه کیفی با استفاده از رویکرد پدیدارشناسی تفسیری (هرمنیوتیک) در کشور امارات متحده عربی انجام گردید. در این مطالعه دوازده زن با تجربه سقط مکرر با شانزده مصاحبه (مشارکت کنندگان یک، پنج، شش و نه) مصاحبه دوم را داشتند. نمونه‌گیری بصورت هدفمند در کلینیک پزشکی و بهداشتی بخش زنان و زایمان که تحت نظر دانشگاه علوم پزشکی امارات متحده عربی در شهر العین انجام شد و مصاحبه‌ها در جایی که مشارکت کنندگان راحت بودند انجام شد (کافی شاپ، خانه شخصی مشارکت کننده یا خانه مادری مشارکت کننده). مصاحبه‌ها به شیوه نیمه ساختار یافته و عمیق انجام شدند. بعد از پیاده شدن مصاحبه‌ها، داده‌ها از طریق روش دیگلمن تحلیل شد.

نتایج: مشارکت کنندگان شامل دوازده زن با تجربه سقط مکرر بودند. دامنه سنی مشارکت کنندگان بیست و پنج تا چهل سال بود. سه نفر از آنها فرزندان نداشتند و نه نفر از آنها دارای فرزند بودند. تعداد سقط جنین مکرر در مشارکت کنندگان ۳ تا ۸ سقط جنین متوالی بود. پس از تجزیه و تحلیل داده‌ها، ۵ مضمون و ۱۲ زیر مضمون استخراج شدند. مضامین استخراج شده شامل حس بی سرانجامی، افول هویت زنانه، عطش حمایت سوگ جانکاه و تسلیم و رضایت بودند. مضمون حس بی سرانجامی شامل دو زیر مضمون که دریغ و رنج بی پایان برای مادری، بارداری حبابی، مضمون افول هویت زنانه شامل دو زیر مضمون تردید در افول هویت زنانه، شخصیت متلاشی شده، مضمون عطش حمایت با سه زیر مضمون حمایت همسر، حمایت خانواده و خویشاوندان و حمایت کادر پزشکی، مضمون سوگ جانکاه شامل دو زیر مضمون غم و اندوه تمام نشدنی و مردگی احساس و پنجمین مضمون تسلیم و رضایت که شامل سه رضایت به تقدیر الهی، شاکر بودن و طلب بخشش زیر مضمون‌های آن بودند.

بحث و نتیجه‌گیری: تجربه سقط مکرر در زنان عرب به معنای حس بی سرانجامی است که همراه با افول هویت زنانه بوده و بسیاری از زنان از آن بعنوان سوگ جانکاه یاد می‌کردند. از یک طرف سقط مکرر در آنان عطش حمایت را بیدار کرده بود و منجر به رضایت و تسلیم در برابر خواسته‌های خداوند شده بود. بنابراین درک خطرات و عواقب سقط مکرر جنین در زنان عرب و اقدامات پیشگیرانه و بهبود کیفیت مراقبت‌ها در این قشر آسیب پذیر نیاز به توجه ویژه‌ای دارد.

کلیدواژه: سقط مکرر، امارات متحده عربی، مطالعه پدیدار شناسی.



Tehran University of Medical Science

International Campus

Nursing and Midwifery School

**LIVED EXPERIENCE OF RECURENT MISCARRAGE IN
UAE WOMEN: A PHENOMENOLOGICAL STUDY**

A thesis fulfilment of the requirements for PhD degree in

Reproductive Health

By:

Fatima Muhammad Ibrahim

Supervisor:

Dr. Zahra Behboodi Moghadam

Dr. Shamsa Abdulmanan Abdul Rahman Al Awar

Adviser:

Dr. Nahid Dehghan Nayeri

Dr. Moamar Al-Jefout

2019

Abstract

Lived experience of Recurrent Miscarriage in UAE Women: A Phenomenological Study

Introduction: Miscarriage is the most common complication of pregnancy era and is an experience that is influenced by the social environment and community culture. Motherhood is a moral change. The purpose of this study was to explain lived experience of recurrent miscarriage in the United Arab Emirates.

Methodology: This qualitative study was conducted using the interpretive phenomenological approach (Hermeneutics) in the United Arab Emirates. The characteristics of the participants of the present research are United Arab Emirates nationality ,Arabic being and having recurrent miscarriage .In this study, twelve women by doing sixteen interviews (four participants (one, five, six and nine) had second interview)with recurrent miscarriage were interviewed using a proposed sampling in the medical and health clinic of maternity ward under the supervision of the United Arab Emirates University of Medical Sciences¹ in Al Ain city , and interviews were conducted in a deep semi-structured . The interview was conducted according to the patient's point where she was more comfortable. For example, in the coffee shop, the patient's own home or the mother's house was done. After the interviews were completed, the data were analyzed using the Diekelmann method.

Results: Participants included twelve women with experience of recurrent miscarriage. Twenty-five to forty-two years old a range of their age. Three of the contributors did not have children and nine of them had children. The number of miscarriages in participants with a repeat miscarriage ranged from three to eight recurrent miscarriages.

Five Themes and Twelve sub themes were extracted after analyzing the data. The extracted themes included a Sense of endlessness, the Decline in women's identity, and the Thirst for Support and dreadful mourning, and Submission and satisfaction. The theme of Endlessness sense consists of two sub-themes, Endless hesitation and suffering for motherhood, the Bubble pregnancy, the Decline of the women identity, including two sub-themes of Hesitation in being a woman, the fragmented personality, the theme of the Thirst for support for three sub-themes: Spousal Support, Family and Relatives support and medical staff Support, the theme of Dreadful Mourning, including two sub-themes of Endless Grief and Death feeling, and the fifth theme of Submission and Satisfaction, which three satisfactions

¹ The gathering environment of this research is through the connection with the Obstetric & gynecologic department at college of medicine & health sciences clinical services, UAE University, Al Ain.

for the Satisfaction to divine appreciation, Being a thankful, and Demanding forgiveness were its sub-themes.

Discussion and Conclusion: The experience of recurrent miscarriage in Arab women means a sense of endlessness that accompanied the decline of women's identity, and many women referred to it as "Dreadful mourning." On the one hand, recurrent miscarriage had aroused the thirst for support in them and resulted in satisfaction and submission to the demands of God. Therefore, understanding the risks and consequences of recurrent miscarriage in Arab women and preventative measures and improving the quality of care in this vulnerable stratum needs special attention.

Key word: Recurrent miscarriage, United Arab Emirates, Phenomenology study