



دانشگاه علوم پزشکی تهران
دانشکده پرستاری و مامایی

بررسی خودپنداره جنسی و عوامل مرتبط با آن در زنان متأهل مراجعه کننده
به مراکز بهداشتی درمانی دانشگاه علوم پزشکی تهران ۹۳-۱۳۹۲

پایان نامه جهت دریافت درجه کارشناسی ارشد مامایی

استاد محترم راهنما:

سرکار خانم دکتر مدرس

نگارش: مریم محمدی نیک

پاییز ۹۳

چکیده:

عنوان: بررسی خودپنداره جنسی و عوامل مرتبط با آن در زنان متأهل مراجعه کننده به مراکز بهداشتی درمانی دانشگاه علوم پزشکی تهران ۹۲-۹۳

مقدمه: خودپنداره جنسی ارائه یک شناخت از جنبه‌های جنسی هر فرد است. هدف از این پژوهش تعیین ارتباط خودپنداره جنسی و عوامل مرتبط با آن در زنان متأهل مراجعه کننده به مراکز بهداشتی درمانی تهران در سال ۱۳۹۲-۱۳۹۳ می‌باشد.

روش کار: این پژوهش مقطعی با شرکت ۳۶۵ زن در سنین باروری از مراجعین مراکز بهداشتی دانشگاه علوم پزشکی تهران انجام شد. نمونه‌گیری به صورت خوشه‌ای تصادفی صورت گرفت. ابزار گردآوری اطلاعات پرسشنامه‌های جمعیت شناختی، خودپنداره جنسی و دلبستگی بود. جهت تجزیه و تحلیل اطلاعات از نرم‌افزار SPSS ویرایش ۱۶ و آزمون‌های آماری توصیفی و تحلیلی استفاده گردید.

یافته‌ها: یافته‌ها نشان داد واحدهای پژوهش بیشترین میانگین را در خودپنداره جنسی مثبت کسب نمودند (120.73 ± 22.70). همچنین خودپنداره جنسی مثبت با سن، مدت ازدواج، وضعیت اشتغال و اقتصادی، وضعیت تأهل، هدف انتخاب روش پیشگیری، رضایت انجام ازدواج، رابطه عاطفی و رضایت جنسی، زندگی با خانواده، مشکلات جنسی و دلبستگی ارتباط داشت ($p < 0.05$). خودپنداره جنسی منفی با تعداد دفعات نزدیکی، تحصیلات زن، وضعیت اشتغال، وضعیت اقتصادی، هدف و پیشنهاد دهنده روش پیشگیری، رضایت از انجام ازدواج، اعتیاد همسر، رابطه عاطفی، رضایت جنسی، زندگی با خانواده، مشکلات جنسی و دلبستگی فرد رابطه دارد. ($p < 0.05$). خودپنداره موقعیتی با سن، مدت ازدواج، تعداد نزدیکی، وضعیت اشتغال و اقتصادی، نوع و هدف از پیشگیری، نوع اعتیاد همسر، رابطه عاطفی و رضایت جنسی، زندگی با خانواده، اولین رابطه جنسی و مشکلات جنسی رابطه دارد ($p < 0.05$).

نتیجه‌گیری: باتوجه به نتایج مطالعه، زنان بستر و زمینه مناسب برای جهت‌گیری‌های صحیح جنسی دارند. بنابراین با توجه به عوامل مرتبط که در این پژوهش بررسی شد با دادن آگاهی متناسب با ویژگی‌های هر فرد می‌توان سلامت جنسی زنان را بهبود بخشید.

کلمات کلیدی: خودپنداره جنسی، عوامل مرتبط با خودپنداره جنسی، سلامت زنان



Tehran University of Medical Sciences
school of Nursing and Midwifery

**Sexual self-concept and it's related factors in married
women in Tehran university of medical sciences 2013-2014**

By: Maryam Mohammadi Nik

Under Supervision of Maryam Modares

A thesis submitted to the Graduate Studies office In partial fulfillment of
the requirements for The degree of Master in Midwifery

December 2014

Abstract

Title: Sexual self-concept and its related factors in married women in Tehran university of medical sciences 2013-2014

Introduction: Sexual self-concept provides an understanding of the sexual aspects of a person. The aim of this study was determine the relationship between sexual self-concept and its related factors in married women who referred to the medical Health centers in Tehran University of Medical Sciences (2013-2014).

Method: This cross sectional research was conducted by attendance of 365 women in reproductive age who referred to the medical health centers in Tehran University of Medical Sciences. Random clustering sampling was used for sampling. Data collection instruments were include demographic, sexual self-concept and attachment questionnaires. Data were analyzed by SPSSver16 software with descriptive & analytical tests.

Results: Results indicated that samples gained the highest score in positive sexual self concept (120.73 ± 22.70). Positive sexual self-concept was associated with age, duration of marriage, employment; economic & marital status, goal of contraceptive, satisfying the marriage, sexual and emotional relationship, family life, sexual problems and attachment style ($P < 0.05$). Negative sexual self concept was associated with education, employment & economic situation, frequency of intercourse, goal of contraceptives, satisfying the marriage, husband's addiction, sexual and emotional relationship, family life, sexual problems and attachment style ($p < 0.05$). Situational sexual self concept was associated with, age, duration of marriage, employment and economic status, frequency of intercourse, type and goal of the contraceptive, husband's addiction, sexual and emotional relationship, family life, first sex and sexual problems ($P < 0.05$).

Conclusions: According to results of the study, women have appropriate context for sexual direction. So taking into account the relative factors studied in our survey, informing with respect to their characteristic women's sexual health can improved.

Keywords: sexual self concept, related factors with sexual self concept, women's health