



دانشگاه علوم پزشکی تهران
دانشکده پرستاری مامایی

بررسی کیفیت مراقبت سلامت و کیفیت زندگی از دیدگاه سالمندان مبتلا به

بی اختیاری ادراری بستری در سرای سالمندان کهریزک

پایان نامه جهت اخذ درجه کارشناسی ارشد پرستاری

استاد راهنما:

مینو پاک گوهر

استاد مشاور:

فریده باستانی

استاد مشاور آمار:

محمودرضا گوهری

فرشته رضایی

زمستان 93

بررسی کیفیت مراقبت سلامت و کیفیت زندگی از دیدگاه سالمندان مبتلا به بی اختیاری ادراری بستری در سرای سالمندان کهریزک سال 1393

هدف: بی اختیاری ادراری یکی از مشکلات شایع در سنین سالمندی می باشد و یک مشکل جدی در سرای سالمندان به حساب می آید. هدف این مطالعه بررسی کیفیت مراقبت و کیفیت زندگی از دیدگاه سالمندان مبتلا به بی اختیاری ادراری در سرای سالمندان کهریزک می باشد.

روش: در این مطالعه مقطعی 288 سالمند مبتلا به بی اختیاری ادراری مورد مطالعه قرار گرفت. روش نمونه گیری سرشماری بود. پرسشنامه های مورد استفاده شامل اطلاعات فردی، تعیین نوع و شدت بی اختیاری ادراری، پرسشنامه کیفیت زندگی مخصوص مبتلایان به بی اختیاری ادراری و پرسشنامه پژوهشگر ساخته کیفیت مراقبت برای جمع آموری اطلاعات مورد استفاده قرار گرفت. داده ها با استفاده از نرم افزار Spss نسخه 22 تجزیه و تحلیل شد و آزمون های آماری اسپیرمن، یومان ویتنی نشان داد که در سطح معنی داری ($P < 0/001$) است

یافته ها: نتایج اکثریت سالمندان (95٪) میانگین نمره کیفیت مراقبت را نامطلوب گزارش نمودند و کیفیت مراقبت در زنان کمتر از مردان و در افراد با طول مدت بستری بیشتر و شدت بی اختیاری متوسط، کمتر گزارش شد.

میانگین نمره کیفیت زندگی نیز 40.71 ± 5.22 گزارش شد، در زنان کمتر از مردان بود و همچنین در افرادی که طول مدت بستری طولانی تر و شدت بی اختیاری متوسط داشتند، کمتر گزارش شد. کیفیت زندگی در انواع بی اختیاری ادراری متفاوت بود و ارتباط معناداری بین کیفیت مراقبت و کیفیت زندگی وجود داشت ($P < 0/001$).

بحث و نتیجه گیری: نتایج این تحقیق نشان داد که کیفیت مراقبت و کیفیت زندگی تحت تأثیر قرار گرفته است ($P < 0/001$. $R = 0/736$). پرسنل بهداشتی باید به سالمندان مبتلا به بی اختیاری ادراری کیفیت مراقبت بهتر ارائه و آنان را از راه های پیشگیری و درمان موجود آگاه نمایند.

کلیدواژه ها: کیفیت مراقبت، کیفیت زندگی، بی اختیاری ادراری، خانه سالمندان



Tehran University of Medical Science

School of Nursing and Midwifery

**Quality of Health Care and Quality of life from senior residents
perceptive with Urinary Incontinence in Kahrizak Nursing Home,
2014**

Under Supervision of:

Minoo Pakgohar

Farideh Bastani

Mohamad Reza Gohari

A Thesis submitted to the graduate studies Office

**In partial fulfillment of requirements for
The degree of Master of Science in Nursing**

Fereshte Rezaie

June 2014

Abstract

Quality of Health Care and Quality of life from senior residents perceptive with Urinary Incontinence in Kahrizak Nursing Home, 2014

Objective: Urinary incontinence (UI) is a common condition among older adult. it's a serious problem of residents in nursing homes. The aim of this study was to determine quality of Health Care (QoHC) and Quality of Life (QoL) **from senior residents perceptive** with Urinary Incontinence in Kahrizak Nursing Home.

Method: In this cross-sectional study, 280 nursing home residents with urinary incontinence were participated. The sampling method was census. The data were collected by using four questioners including: 1. The Questionnaire for Urinary Incontinence Diagnosis (QUID) 2. The Incontinence Severity Index (ISI) 3. The Incontinence Quality of Health Care, and 4. The Incontinence Quality of Life questionnaire (I-QoL). Data were analyzed by descriptive and inferential statistics including: Spearman's rank correlation, U Mann Whitney Test.

Result: Most of the participates (95%) reported that the QoHC was inadequate. Quality of care was lower in women than men and with more length of hospitalized and moderate incontinence severity.

Also, the mean QoL score was 40.71 ± 5.22 . Quality of life was lower in women than men and with more length of hospitalized and moderate incontinence severity. There were significant differences between QoL and different types of UI. There was a significant correlation between the quality of care and quality of life in elders ($P < 0/001$. $R = 0/736$)

Conclusion: The findings indicated that QoC and QoL were impaired in senior residents with Urinary Incontinence. Thus, QoHC should be improved by health care professional. They have to educate patients and make them aware of available care and treatments.

Key words: Quality of health care, Quality of life, Urinary Incontinency. Nursing home.