



دانشگاه علوم پزشکی تهران
دانشکده پرستاری و مامایی
پایان نامه برای دریافت درجه کارشناسی ارشد

بررسی ارتباط نگرش پرستاران نسبت به مادران مصرف کننده مواد و عملکرد
مراقبتی از نوزاد آنها در بخش های مراقبت ویژه نوزادان

نگارنده:

نسرين شهرياري

استاد راهنما:

سرکار خانم دکتر ژيلا ميرلاشاري

۱۳۹۵

شماره پایان نامه: ۸۲۵

بررسی ارتباط نگرش پرستاران نسبت به مادران مصرف کننده مواد و عملکرد مراقبتی از نوزاد آنها در بخش های مراقبت ویژه نوزادان

چکیده

زمینه و هدف : مصرف داروهای غیرمجاز هم برای مادر و هم برای نوزاد مسئله بهداشتی مهمی در بیشتر کشورها می باشد. در سال های اخیر کارکنان گروه درمانی به خصوص پزشکان و پرستاران در بخش های مراقبت ویژه نوزادان شاهد افزایش روزافزون تولد نوزادان از مادران مصرف کننده مواد می باشند. نگرش پرستاران نسبت به مادران این نوزادان ممکن است در ارائه مراقبت استاندارد و کمک به بهبود علایم سندرم محرومیت از مواد در نوزادان و پیشگیری از عوارض ناشی از سوء مصرف مواد مؤثر باشد. این مطالعه با هدف بررسی ارتباط نگرش پرستاران نسبت به مادران مصرف کننده مواد و عملکرد مراقبتی از نوزاد آنها در بخش های مراقبت ویژه نوزادان انجام شد.

روش اجرا:

این مطالعه از نوع مقطعی توصیفی- تحلیلی است که در آن ۱۰۸ پرستار شاغل در بخش های مراقبت ویژه نوزادان بیمارستان های دانشگاه های علوم پزشکی تهران، ایران و شهید بهشتی در سال ۱۳۹۴ به روش در دسترس پس از کسب رضایت آگاهانه در مطالعه شرکت کردند. داده ها با استفاده از ابزار پرسشنامه نگرش درباره سوء مصرف مواد در دوره بارداری و چک لیست محقق ساخته عملکرد مراقبت پرستاری جمع آوری شد. سپس تجزیه و تحلیل داده ها با استفاده از آزمون های آماری کروسکال والیس، من ویتنی در و تی تست در نرم افزار spss نسخه 16 انجام شد.

یافته ها :

بر اساس داده ها نگرش نسبت به سوء مصرف مواد در دوره بارداری منفی و تنبیه آمیز (۹۴/۴ درصد) و عملکرد مراقبتی از نوزاد در معرض سندرم محرومیت از مواد (۵۲/۸ درصد) نامطلوب بود. بین متغیرهای عملکرد مراقبتی و نگرش نسبت به سوء مصرف مواد در دوره بارداری همبستگی وجود نداشت ($p = 0/795$). در مقایسه میانگین عملکرد مراقبتی پرستاران شاغل در بخش های مراقبت ویژه نوزادان به تفکیک سنوات خدمت نتایج حاصل از آزمون کروسکال والیس و من ویتنی، میانگین نمره عملکرد مراقبتی در پرستاران با سابقه کار ۲۰ - ۱۵ سال ($P\text{-Value} = 0/024$) و با مدرک تحصیلی فوق لیسانس بطور قابل توجهی بیشتر بود ($P = 0/018$). میانگین نمره عملکرد پرستارانی که با مراقبت تکاملی نوزاد در معرض سندرم محرومیت از مواد آشنا نباشند نسبت به پرستارانی که با مراقبت های مذکور آشنایی نداشتند بیشتر بود ($P\text{-Value} < 0/001$).

نتیجه گیری :

طبق نتایج بین نگرش منفی پرستاران نسبت به سوء مصرف مواد در بارداری و عملکرد مراقبتی نامطلوب از نوزاد آنها ارتباطی وجود نداشت. احتمالاً نقص در آگاهی و برنامه آموزش پرستاری می تواند به عملکرد مراقبتی نامطلوب و نگرش منفی نسبت به مادران مصرف کننده مواد دامن بزند. بنابراین توجه نظام آموزش پرستاری مراقبت ویژه نوزادان کشور به جنبه های ذکر شده توصیه می شود. بعلاوه تدوین جزوات آموزشی، ارائه راهکارهایی جهت تغییر نگرش، برگزاری دوره های آموزشی ضمن خدمت و الزام در بکارگیری ابزارهای ارزیابی نوزاد در معرض سندرم محرومیت از مواد مانند سیستم نمره دهی فینگان در بخش های مراقبت ویژه نوزادان می تواند مراقبت از این نوزادان را بهبود بخشد.

کلید واژه ها : نگرش، مراقبت پرستاری، سندرم محرومیت از مواد نوزادی، سوء مصرف مواد در بارداری



Tehran University Of Medical Science

Faculty Of Nursing & Midwifery

Title:

An investigation of the relationship between the nurses' attitude toward the substance-abusing mothers and their performance in taking care of such infants at neonatal intensive care unit

**A Thesis Submitted to the Graduate Studies Office
In Partial Fulfillment of the Requirements for
The Degree of Master in
Nursing of Neonatal Intensive Care**

By:

Nasrin Shahriari

Supervisor:

Dr. Jila Mirlashari

Year: 1395

Register number: 825

Abstract

Title: An investigation of the relationship between the nurses' attitude toward the substance-abusing mothers and their performance in taking care of such infants at neonatal intensive care unit.

Purpose & Field of Study:

Substance-abuse is an important health issue for both mothers and infants in most of the countries. In recent years, medical staff, especially physicians and nurses working at neonatal intensive care units, have reported an increase in birth of infants with substance-abusing mothers. The attitude of nurses toward such mothers may have influence on the quality of cares and treatment of neonatal abstinence syndrome's Symptoms as well as on the preventive measures for the side-effects of substance-abuse. The present study was aimed at investigating the relationship between the nurses' attitude toward the substance-abusing mothers and their performance in taking care of such infants at neonatal intensive care units.

Methodology:

The present study is a descriptive-analytical short-term research. 108 nurses participated in this research which was carried out in 2015. The mentioned nurses were available at neonatal intensive care units of the hospitals of three Medical Sciences Universities of Tehran, Iran and Shahid Beheshti. Data was collected by the Attitude About Drug-Abuse In Pregnancy tool as well as a Nurse Caring Performance checklist prepared by the researcher. The data regarding the nurse caring performance was collected. Then it was analyzed by Statistical Tests, Kruskal-Wallis, Mann-Whitney and t-test in SPSS 16 Software.

Findings:

Based on the data, the attitude toward Substance-abuse in pregnancy was negative (94.4) and the caring performance of nurses as to infants suffering from neonatal abstinence syndrome was not appropriate (52.8%). There was no correlation between the caring performance factors and the attitude toward substance-abuse in pregnancy($p= 0/795$). Comparing the average caring performance of nurses working at neonatal intensive care units in terms of their years of experience, the results of Kruskal-Wallis Statistical Tests and Mann-

Whitney, the average score of caring performance for nurses with 15-20 years of experience(P-Value=0/024) as well as the nurses holding M.A. degree were significantly higher than others(P-Value=0/018). There was a significant relationship between passing a training course on Intensive Care for Infants Suffering from neonatal abstinence Syndrome and the caring performance of the nurses(P-Value=0/020). The average score of performance of nurses who were familiar with Infant Developmental Care was higher than the score of those who were unfamiliar with such care(P-Value<0/001).

Conclusion:

Based on the findings, there was no significant relationship between negative attitude of nurses toward substance-abusing mothers and their performance in taking care of such infants. Therefore, it is suggested that the State Nursing Education System pay more attention to the mentioned aspects of neonatal intensive care. Preparation and publication of informative texts and executive instructions, solutions for change attitude, holding on-duty training courses and using the assessment tools for infants suffering from neonatal abstinence syndrome at neonatal intensive care units can help to improve the quality of the infants care.

Keywords: Attitude, Nursing Care, Neonatal Abstinence Syndrome, substance-abuse In Pregnancy